

POD PHONE SMALL

POD PHONE SMALL is a telephone booth that improves privacy when taking phone calls in open spaces and office environments.




TECHNICAL INFORMATION

AIR FLOW	Fully automated ventilation controlled by motion sensor. As standard, set to 1 hour and is adjustable up to 99 minutes. Air flow 22l/s.
LIGHTS	Fully automated lights controlled by motion sensor. As standard, set to 1 hour and is adjustable up to 99 minutes. LED light set on the ceiling. Lumen 871.
WHEELS	Installation wheels included.
ENERGY CONSUMPTION PER HOUR	Total 0,01895 kWh. Fans 0,00445 kWh. Lights 0,0145 kWh. Max load 8 A.
SOCKET	One power socket on the table.
POWER CONNECTION	From the ceiling or floor. The length of the power cord is 3 m.

MEASUREMENTS

EXTERNAL DIMENSIONS	W1000 x D1200 x H2220 mm
INNER DIMENSIONS	W800 x D800 x H2040 mm
DOOR	8 x 21
PACKAGE DIMENSIONS	W800 x D2400 x H1500 mm
WEIGHT	400 kg 333 kg/m ²



MATERIAL DESCRIPTION

EXTERIOR	Melamine or veneered frame.
INTERIOR	Acoustic panel on the ceiling. Walls x 2 and floor coated with carpet.
DOOR	Painted MDF door. Melamine door side panels. Door handle with satin finished stainless steel.
WINDOW	Laminated acoustic safety glass window 10 mm. Glass window includes the INTO stripe window taping.
TABLE	MDF table with water-based paint.

ADD-ON FEATURES

POD PANEL

POD PANEL is an acoustic-friendly add-on piece for POD rooms. It can be used as a surface to attach notes, plans, and other sketches. Panels attaches easily to the POD exterior and softens the surrounding sound environment.



OTHER AVAILABLE ADD-ON FEATURES

Height adjustable stool
Clothing hook
Eletronical lock system
Booking system
Smart glass
Screen holder
USB charger
Extra power sockets
AV systems (web camera, microphone)



All our materials comply with M1 emission classification.

SURFACE FINISHES FOR POD ROOMS

STANDARD PRICE, CATEGORY 1

Melamine color options



White




Dark grey

PRICE CATEGORY 2

Veneer options



Pine



American oak



Black oak

SURFACE FINISHES FOR DOOR & DOOR SIDE PANELS

STANDARD PRICE, CATEGORY 1



White

PRICE CATEGORY 2



American oak

PRICE CATEGORY 3




Clear glass 10 mm

comes with white door panels

CARPETS FOR POD ROOMS: EX-DONO QUARTET FROM FLETCO | STANDARD PRICE, CATEGORY 1


Composition: Polyester non woven
Static electrical propensity: Antistatic
Impact sound reduction: 25 dB
Classification for use: Commercial / heavy use
Fire resistant: Yes



393300



393340



393350

Ask for more colors: sales@intoconcept.com



CEILING ACOUSTIC PANEL FABRIC: SOUL FROM GABRIEL | STANDARD PRICE, CATEGORY 1

Composition: 100% wool
Lightfastness: 5-7
Rubbing fastness: 4/wet, 4-5/dry
Sustainability: Complies with STANDARD 100 by OEKO-TEX
Meet Möbelfakta requirements
Cleaning: regular vacuum cleaning
Fire resistant: Yes (S 476 Part 7, class 1 ÖNORM B 3825-B1-3800-Q1 UK)




66104



67039




68131




64086



62059



61196



60182



POD PHONE

POD PHONE is a phone booth that improves privacy when taking phone calls in open spaces and office environments.




TECHNICAL INFORMATION

AIR FLOW	Fully automated ventilation controlled by motion sensor. As standard, set to 1 hour and is adjustable up to 99 minutes. Air flow 22l/s.
LIGHTS	Fully automated lights controlled by motion sensor. As standard, set to 1 hour and is adjustable up to 99 minutes. LED light set on the ceiling. Lumen 871.
WHEELS	Installation wheels included.
ENERGY CONSUMPTION PER HOUR	Total 0,01895 kWh. Fans 0,00445 kWh. Lights 0,0145 kWh. Max load 8 A.
SOCKET	One power socket on the table.
POWER CONNECTION	From the ceiling or floor. The length of the power cord is 3 m.

MEASUREMENTS

EXTERNAL DIMENSIONS	W1000 x D1500 x H2220 mm
INNER DIMENSIONS	W800 x D1100 x H2040 mm
DOOR	8 x 21
PACKAGE DIMENSIONS	W800 x D2400 x H1500 mm
WEIGHT	460 kg 307 kg/m2



MATERIAL DESCRIPTION

EXTERIOR	Melamine or veneered frame.
INTERIOR	Acoustic panel on the ceiling. Walls x 2 and floor coated with carpet.
DOOR	Painted MDF door. Melamine door side panels. Door handle with satin finished stainless steel.
WINDOW	Laminated acoustic safety glass window 10 mm. Glass window includes the INTO stripe window taping.
TABLE	MDF table with water-based paint.

ADD-ON FEATURES

POD PANEL

POD PANEL is an acoustic-friendly add-on piece for POD rooms. It can be used as a surface to attach notes, plans, and other sketches. Panels attaches easily to the POD exterior and softens the surrounding sound environment.



OTHER AVAILABLE ADD-ON FEATURES

Height adjustable stool
Clothing hook
Electronical lock system
Booking system
Smart glass
Screen holder
USB charger
Extra power sockets
AV systems (web camera, microphone)

SURFACE FINISHES FOR POD ROOMS

STANDARD PRICE, CATEGORY 1

Melamine color options



White



Dark grey

PRICE CATEGORY 2

Veneer options



Pine



American oak



Black oak

SURFACE FINISHES FOR DOOR & DOOR SIDE PANELS

STANDARD PRICE, CATEGORY 1



White

PRICE CATEGORY 2



American oak

PRICE CATEGORY 3



Clear glass 10 mm


comes with white door panels

CARPETS FOR POD ROOMS: EX-DONO QUARTET FROM FLETCO | STANDARD PRICE, CATEGORY 1


Composition: Polyester non woven
Static electrical propensity: Antistatic
Impact sound reduction: 25 dB
Classification for use: Commercial / heavy use
Fire resistant: Yes



393300





393340



393350

Ask for more colors: sales@intoconcept.com



CEILING ACOUSTIC PANEL FABRIC: SOUL FROM GABRIEL | STANDARD PRICE, CATEGORY 1

Composition: 100% wool
Lightfastness: 5-7
Rubbing fastness: 4/wet, 4-5/dry
Sustainability: Complies with STANDARD 100 by OEKO-TEX
Meet Möbelfakta requirements
Cleaning: regular vacuum cleaning
Fire resistant: Yes (S 476 Part 7, class 1 ÖNORM B 3825-B1-3800-Q1 UK)



66104



67039



68131




64086



62059



61196



60182



POD 1

POD 1 is the number one choice for private phone calls and a workspace for tasks which demand focusing.




TECHNICAL INFORMATION

AIR FLOW	Fully automated ventilation controlled by motion sensor. As standard, set to 1 hour and is adjustable up to 99 minutes. Switch for ventilation. Air flow 22 l/s.
LIGHTS	Fully automated lights controlled by motion sensor. As standard, set to 1 hour and is adjustable up to 99 minutes. Switch for lights. 2 x LED light set on the ceiling. A window lamp. Lumen 1742.
WHEELS	Installation wheels included.
ENERGY CONSUMPTION PER HOUR	Total 0,04045 kWh. Fans 0,00445 kWh. Lights 0,036 kWh. Max load 8 A.
SOCKET	3 x power sockets + 1 x data outlet included
POWER CONNECTION	From the ceiling or floor. The length of the power cord is 3 m.

MEASUREMENTS

EXTERNAL DIMENSIONS	W1700 x D1700 x H2220 mm
DOOR	9 x 21
INNER DIMENSIONS	W1500 x D1300 x H2040 mm
PACKAGE DIMENSIONS	W1200 x D2400 x H1500 mm
WEIGHT	690 kg 239kg/m2



MATERIAL DESCRIPTION

EXTERIOR	Melamine or veneered frame.
INTERIOR	Acoustic panel on the ceiling. Back wall and floor coated with carpet.
DOOR	Painted MDF door. Melamine door side panels. Door handle with satin finished stainless steel.
WINDOW	Laminated acoustic safety glass window 10 mm. Glass window includes the INTO stripe window taping.

ADD-ON FEATURES

POD PANEL

POD PANEL is an acoustic-friendly add-on piece for POD rooms. It can be used as a surface to attach notes, plans, and other sketches. Panels attaches easily to the POD exterior and softens the surrounding sound environment.




ACCESSIBILITY SET

Wheelchair ramp.
Reservation for automatic door.
Automatic door closer.
Hydraulic door closer.
Kick-plates for the door and/or walls.
Vertical and/or horizontal bar handles.



FURNITURE SET

Furnish the POD room with INTO sofas and tables.
For example: 2 x POINT 700, TOP LIFT HIGH 400 x 600.



OTHER AVAILABLE ADD-ON FEATURES

Air cooling device
Clothing hook
Electronical lock system
Booking system
Smart glass
USB charger
Extra power sockets
AV systems (web camera, microphone)



All our materials comply with M1 emission classification.

SURFACE FINISHES FOR POD ROOMS

STANDARD PRICE, CATEGORY 1

Melamine color options



White



Dark grey

PRICE CATEGORY 2

Veneer options



Pine



American oak



Black oak

SURFACE FINISHES FOR DOOR & DOOR SIDE PANELS

STANDARD PRICE, CATEGORY 1



White

PRICE CATEGORY 2



American oak

PRICE CATEGORY 3




Clear glass 10 mm


comes with white door panels

CARPETS FOR POD ROOMS: EX-DONO QUARTET FROM FLETCO | STANDARD PRICE, CATEGORY 1


Composition: Polyester non woven
Static electrical propensity: Antistatic
Impact sound reduction: 25 dB
Classification for use: Commercial / heavy use
Fire resistant: Yes



393300



393340



393350

Ask for more colors: sales@intoconcept.com



CEILING ACOUSTIC PANEL FABRIC: SOUL FROM GABRIEL | STANDARD PRICE, CATEGORY 1

Composition: 100% wool
Lightfastness: 5-7
Rubbing fastness: 4/wet, 4-5/dry
Sustainability: Complies with STANDARD 100 by OEKO-TEX
Meet Möbelfakta requirements
Cleaning: regular vacuum cleaning
Fire resistant: Yes (S 476 Part 7, class 1 ÖNORM B 3825-B1-3800-Q1 UK)



66104



67039



68131




64086



62059



61196



60182

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100





POD 2


The POD 2 small meeting room is ideal for 2-4 people for spontaneous but confidential meetings and as an adaptable workspace.

TECHNICAL INFORMATION

AIR FLOW	Fully automated ventilation controlled by motion sensor. As standard, set to 1 hour and is adjustable up to 99 minutes. Switch for ventilation. Air flow 44 l/s.
LIGHTS	Fully automated lights controlled by motion sensor. As standard, set to 1 hour and is adjustable up to 99 minutes. Switch for lights. 2 x LED light set on the ceiling. A window lamp. Lumen 1742.
WHEELS	Installation wheels included.
ENERGY CONSUMPTION PER HOUR	Total 0,0449 kWh. Fans 0,0089 kWh. Lights 0,036 kWh. Max load 8 A.
SOCKET	3 x power sockets + 2 x data outlets included.
POWER CONNECTION	From the ceiling or floor. The length of the power cord is 3 m.

MEASUREMENTS

EXTERNAL DIMENSIONS	W2500 x D1700 x H2220 mm
DOOR	9 x 21
INNER DIMENSIONS	W2300 x D1300 x H2040 mm
PACKAGE DIMENSIONS	W1200 x D2520x H1500 mm
WEIGHT	910 kg 214 kg/m ²



MATERIAL DESCRIPTION

EXTERIOR	Melamine or veneered frame.
INTERIOR	Acoustic panel on the ceiling. Back wall and floor coated with carpet.
DOOR	Painted MDF door. Melamine door side panels. Door handle with satin finished stainless steel.
WINDOW	Laminated acoustic safety glass window 10 mm. Glass window includes the INTO stripe window taping.


ADD-ON FEATURES

POD PANEL

POD PANEL is an acoustic-friendly add-on piece for POD rooms. It can be used as a surface to attach notes, plans, and other sketches. Panels attaches easily to the POD exterior and softens the surrounding sound environment.

FURNITURE SET

Furnish the POD room with INTO sofas and tables. For example: 1 x POINT 700, 2 x POINT 500, TOP LIFT HIGH 600 x 800.



ACCESSIBILITY SET

Wheelchair ramp.
Reservation for automatic door.
Automatic door closer.
Hydraulic door closer.
Kick-plates for the door and/or walls.
Vertical and/or horizontal bar handles.



OTHER AVAILABLE ADD-ON FEATURES

Air cooling device
Clothing hook
Eletronical lock system
Booking system
Smart glass
USB charger
Extra power sockets
AV systems (web camera, microphone)

SURFACE FINISHES FOR POD ROOMS

STANDARD PRICE, CATEGORY 1

Melamine color options



White



Dark grey

PRICE CATEGORY 2

Veneer options



Pine



American oak



Black oak

SURFACE FINISHES FOR DOOR & DOOR SIDE PANELS

STANDARD PRICE, CATEGORY 1



White

PRICE CATEGORY 2



American oak

PRICE CATEGORY 3



Clear glass 10 mm

comes with white door panels

CARPETS FOR POD ROOMS: EX-DONO QUARTET FROM FLETCO | STANDARD PRICE, CATEGORY 1


Composition: Polyester non woven
Static electrical propensity: Antistatic
Impact sound reduction: 25 dB
Classification for use: Commercial / heavy use
Fire resistant: Yes



393300



393340



393350

Ask for more colors: sales@intoconcept.com



CEILING ACOUSTIC PANEL FABRIC: SOUL FROM GABRIEL | STANDARD PRICE, CATEGORY 1

Composition: 100% wool
Lightfastness: 5-7
Rubbing fastness: 4/wet, 4-5/dry
Sustainability: Complies with STANDARD 100 by OEKO-TEX
Meet Möbelfakta requirements
Cleaning: regular vacuum cleaning
Fire resistant: Yes (S 476 Part 7, class 1 ÖNORM B 3825-B1-3800-Q1 UK)



66104



67039



68131




64086



62059



61196



60182





POD 4


POD 4 meeting rooms are suitable for 4-8 people and perfect for private or confidential meetings as well as adaptable work spaces.

TECHNICAL INFORMATION

AIR FLOW	Fully automated ventilation controlled by motion sensor. As standard, set to 1 hour and is adjustable up to 99 minutes. Switch for ventilation. Air flow 88l/s.
LIGHTS	Fully automated lights controlled by motion sensor. As standard, set to 1 hour and is adjustable up to 99 minutes. Switch for lights. 4 x LED light set on the ceiling. 1 window lamp. Lumen 3484.
WHEELS	Installation wheels included.
ENERGY CONSUMPTION PER HOUR	Total 0,0828 kWh. Fans 0,0178 kWh. Lights 0,065 kWh. Max load 8 A.
SOCKET	4 x power sockets + 2 x data outlets included.
POWER CONNECTION	From the ceiling or floor. The length of the power cord is 3 m.

MEASUREMENTS

EXTERNAL DIMENSIONS	W3400 x D2500 x H2220 mm
DOOR	9 x 21
INNER DIMENSIONS	W3200 x D2100 x H2040 mm
PACKAGE DIMENSIONS	2 x pallet: W1200 x L2520 x H1500 and W1200 x L2400 x H1500
WEIGHT	1450 kg 171 kg/m ²



MATERIAL DESCRIPTION

EXTERIOR	Melamine or veneered frame.
INTERIOR	Acoustic panels on the ceiling. Back wall and floor coated with carpet.
DOOR	Painted MDF door. Melamine door side panels. Door handle with satin finished stainless steel.
WINDOW	Laminated acoustic safety glass window 10 mm. Glass window includes the INTO stripe window taping.

ADD-ON FEATURES

DISPLAY BOX

DISPLAY BOX is a screen stand for the POD meeting rooms that hides the cables and the remote control. Suitable for a maximum 42" screen.



POD PANEL

POD PANEL is an acoustic-friendly add-on piece for POD rooms. It can be used as a surface to attach notes, plans, and other sketches. Panels attaches easily to the POD exterior and softens the surrounding sound environment.



ACCESSIBILITY SET

Wheelchair ramp.
Reservation for automatic door.
Automatic door closer.
Hydraulic door closer.
Kick-plates for the door and/or walls.
Vertical and/or horizontal bar handles.



FURNITURE SET

Furnish the POD room with INTO sofas and tables.
For example; 4 x POINT 700, 1 x POINT CORNER,
2 x TOP CURVE, 1 x DISPLAY BOX



OTHER ADD-ON FEATURES

Air cooling device
Clothing hook
Eletronical lock system
Booking system
Smart glass
USB charger
Extra power sockets
AV systems (web camera, microphone)

SURFACE FINISHES FOR POD ROOMS

STANDARD PRICE, CATEGORY 1

Melamine color options



White



Dark grey

PRICE CATEGORY 2

Veneer options



Pine



American oak



Black oak

SURFACE FINISHES FOR DOOR & DOOR SIDE PANELS

STANDARD PRICE, CATEGORY 1



White

PRICE CATEGORY 2



American oak

PRICE CATEGORY 3



Clear glass 10 mm

comes with white door panels

CARPETS FOR POD ROOMS: EX-DONO QUARTET FROM FLETCO | STANDARD PRICE, CATEGORY 1


Composition: Polyester non woven
Static electrical propensity: Antistatic
Impact sound reduction: 25 dB
Classification for use: Commercial / heavy use
Fire resistant: Yes



393300




393340



393350

Ask for more colors: sales@intoconcept.com



CEILING ACOUSTIC PANEL FABRIC: SOUL FROM GABRIEL | STANDARD PRICE, CATEGORY 1

Composition: 100% wool
Lightfastness: 5-7
Rubbing fastness: 4/wet, 4-5/dry
Sustainability: Complies with STANDARD 100 by OEKO-TEX
Meet Möbelfakta requirements
Cleaning: regular vacuum cleaning
Fire resistant: Yes (S 476 Part 7, class 1 ÖNORM B 3825-B1-3800-Q1 UK)



66104



67039



68131




64086



62059



61196



60182





POD ROLL

POD ROLL is a compact solution for spontaneous meetings and independent work.


TECHNICAL INFORMATION

Solution includes POINT sofas, table, ceiling lamp, power sockets, and wheels.

LIGHTS	Fully automated lights with electronic motion sensor. Switch for lights. Ceiling light. Lumen 2100.
WHEELS	Wheels under the POD ROLL makes it easy to turn and move around if needed.
ENERGY CONSUMPTION PER HOUR	Total 0,014 kWh. Lights 0,014 kWh. Max load 8 A.
SOCKET	One power socket on the tabletop + 3 under the table.
POWER CONNECTION	From the ceiling or floor. The length of the power cord is 3 m.

MEASUREMENTS

EXTERNAL DIMENSIONS	W2300 x D1700 x H2220 mm
INNER DIMENSIONS	W2000 x D1640 x H1980 mm
TABLE	W700 x D1100 x H730 mm
PACKAGE DIMENSIONS	2 x pallet: W1000 x D2500 x H1500 mm and W850 x D1700 x H2000 mm
WEIGHT	700 kg 179 kg/m ²



MATERIAL DESCRIPTION

EXTERIOR	Melamine frame.
INTERIOR	Floor coated with carpet. Ceiling and wall covered with upholstered acoustic panels.
TABLE	MDF table with structural painted top and powder coated steel base.
WINDOW	Laminated acoustic safety glass window 10 mm. Glass window includes the INTO stripe window taping.

SURFACE FINISHES FOR POD ROLL | STANDARD PRICE, CATEGORY 1

Melamine color options



White



Dark grey

CARPETS FOR POD ROOMS: EX-DONO QUARTET FROM FLETCO | STANDARD PRICE, CATEGORY 1


Composition: Polyester non woven
Static electrical propensity: Antistatic
Impact sound reduction: 25 dB
Classification for use: Commercial / heavy use
Fire resistant: Yes




393300



393340



393350



COLOR OPTIONS FOR POD ROLL TABLE | STANDARD PRICE, CATEGORY 1

TABLE TOP



NCS S 0500-N
Structural

STEEL TUBE BASE



RAL 9016
white

Ask for more colors: sales@intoconcept.com

SOFA FABRIC FOR POD ROLL: WOOLY FROM NEVOTEX | STANDARD PRICE, CATEGORY 1

Composition: 70% Recycled wool, 25% Polyamide, 5% Other fibers
 Durability: 150 000 Martindale
 Lightfastness: 6
 Crocking: 4-5/wet, 5/dry
 Sustainability: certified according to Global Recycled Standard (GRS), no. CU1049784GRS-2023-00050154
 Cleaning: vacuuming and dry cleaning
 Fire resistant: Yes



2256 2301 1011 228881 1000 2279 1001
 Ivory melange Marsala Bottle Green Lapis Light grey Ocean Anthracite



SOFA FABRIC FOR POD ROLL: MAIN LINE FLAX FROM CAMIRA | STANDARD PRICE, CATEGORY 1

Composition: 70% Virgin wool, 30% Flax
 Durability: 50.000 Martindale
 Light fastness: 5
 Crocking: 3/wet, 4/dry
 Sustainability: Complies with EU ecolabel "The Flower", Compostable
 Cleaning: Vacuuming and dry cleaning
 Fire resistant: Yes



MLF02 MLF14 MLF16 MLF19 MLF24 MLF67 MLF37



SOFA FABRIC FOR POD ROLL: PYTON FROM DELFOS FR | PRICE CATEGORY 2

Synthetic leather
 Composition: 77% PVC, 23% CO
 Abrasion / Martindale: dry = 51.200 /cycles, wet = 12.800 /cycles
 Light fastness: 5
 Crocking: 4-5
 Breathable
 Fire resistant: Yes / Flame retardant, IMO Certificate

Cleaning:
 Because of its characteristics, clean and care the material frequently, with lukewarm water and a damp cloth, preferably of micro fibre. Soiling may be treated with a mild soap and proceed next to its drying by using a hairdryer or, failing that, a drycloth. It should be avoided that areas that have been treated for cleaning remain wet



0796 Negro 1112 Smoke 0793 Mocca 1168 Cashmere



SOFA FABRIC FOR POD ROLL: GRAIN/2288 FROM GABRIEL | PRICE CATEGORY 2

Composition: 80% post-consumer recycled polyester / 20% polyester
 Durability: 100.000 Martindale
 Pilling: 5
 Light fastness: 5-7
 Cleaning: wash or dry cleaning
 Fire resistant: Yes



61247 62123 64251 66233 68258 60323





POD ROLL GLASS

POD ROLL GLASS is perfect for ad hoc meetings, work that needs focusing and as a space divider and added seating space.


TECHNICAL INFORMATION

Solution includes POINT sofas, table, ceiling lamp, power sockets, and wheels.

AIR FLOW	Fully automated ventilation with electronic motion sensor. Switch for ventilation. Air flow 44l/s.
LIGHTS	Fully automated lights with electronic motion sensor. Switch for lights. Ceiling light. Lumen 2100.
WHEELS	Wheels under the POD ROLL makes it easy to turn and move around if needed.
ENERGY CONSUMPTION PER HOUR	Total 0,0229 kWh. Fans 0,089 kWh. Lights 0,014 kWh. Max load 8 A.
SOCKET	One power socket on the tabletop + 3 under the table.
POWER CONNECTION	From the ceiling or floor. The length of the power cord is 3 m.

MEASUREMENTS

EXTERNAL DIMENSIONS	W2300 x D1700 x H2220 mm
INNER DIMENSIONS	W2000 x D1640 x H1980 mm
TABLE	W700 x D1100 x H730 mm
PACKAGE DIMENSIONS	2 x pallet: W1200 x D2500 x H1500 mm and W850 x D1700 x H2000 mm
WEIGHT	800 kg 205 kg/m ²






All our materials comply with M1 emission classification.

MATERIAL DESCRIPTION

EXTERIOR	Melamine frame.
INTERIOR	Floor coated with carpet. Ceiling and wall covered with upholstered acoustic panels.
TABLE	MDF table with structural painted top and powder coated steel base.
WINDOW	Laminated acoustic safety glass window 10 mm. Glass window includes the INTO stripe window taping.
DOOR	Clear glass 10 mm. Door handle with satin finished stainless steel.

SURFACE FINISHES FOR POD ROLL GLASS| STANDARD PRICE, CATEGORY 1

Melamine color options



White




Dark grey

CARPETS FOR POD ROOMS: EX-DONO QUARTET FROM FLETCO | STANDARD PRICE, CATEGORY 1


Composition: Polyester non woven
Static electrical propensity: Antistatic
Impact sound reduction: 25 dB
Classification for use: Commercial / heavy use
Fire resistant: Yes



393300



393340



393350




COLOR OPTIONS FOR POD ROLL GLASS TABLE | STANDARD PRICE, CATEGORY 1

TABLE TOP



NCS S 0500-N
Structural

STEEL TUBE BASE



RAL 9016
white

Ask for more colors: sales@intoconcept.com

SOFA FABRIC FOR POD ROLL GLASS: WOOLY FROM NEVOTEX | STANDARD PRICE, CATEGORY 1

Composition: 70% Recycled wool, 25% Polyamide, 5% Other fibers
 Durability: 150 000 Martindale
 Lightfastness: 6
 Crocking: 4-5/wet, 5/dry
 Sustainability: certified according to Global Recycled Standard (GRS), no. CU1049784GRS-2023-00050154
 Cleaning: vacuuming and dry cleaning
 Fire resistant: Yes




2256 2301 1011 228881 1000 2279 1001
 Ivory melange Marsala Bottle Green Lapis Light grey Ocean Anthracite



SOFA FABRIC FOR POD ROLL GLASS: MAIN LINE FLAX FROM CAMIRA | STANDARD PRICE, CATEGORY 1

Composition: 70% Virgin wool, 30% Flax
 Durability: 50.000 Martindale
 Lightfastness: 5
 Crocking: 3/wet, 4/dry
 Sustainability: Complies with EU ecolabel "The Flower", Compostable
 Cleaning: Vacuuming and dry cleaning
 Fire resistant: Yes



MLF02 MLF14 MLF16 MLF19 MLF24 MLF67 MLF37



SOFA FABRIC FOR POD ROLL GLASS: PYTON FROM DELFOS FR | PRICE CATEGORY 2

Synthetic leather
 Composition: 77% PVC, 23% CO
 Abrasion / Martindale: dry = 51.200 /cycles, wet = 12.800 /cycles
 Lightfastness: 5
 Crocking: 4-5
 Breathable
 Fire resistant: Yes / Flame retardant, IMO Certificate

Cleaning:
 Because of its characteristics, clean and care the material frequently, with lukewarm water and a damp cloth, preferably of micro fibre. Soiling may be treated with a mild soap and proceed next to its drying by using a hairdryer or, failing that, a drycloth. It should be avoided that areas that have been treated for cleaning remain wet



0796 Negro 1112 Smoke 0793 Mocca 1168 Cashmere



SOFA FABRIC FOR POD ROLL GLASS: GRAIN/2288 FROM GABRIEL | PRICE CATEGORY 2

Composition: 80% post-consumer recycled polyester / 20% polyester
 Durability: 100.000 Martindale
 Pilling: 5
 Light fastness: 5-7
 Cleaning: wash or dry cleaning
 Fire resistant: Yes



61247 62123 64251 66233 68258 60323






POD PANEL

POD Panel is an acoustic-friendly add-on piece for POD rooms. The panels are easy to attach and detach with their effortless fastening system. They can also be used as a surfaces to attach notes, plans, and other sketches important for your team and their tasks.

TECHNICAL INFORMATION Easy to attach and detach with effortless fastening system.

MATERIAL DESCRIPTION Plywood frame with acoustic wool.
Fully upholstered.

MEASUREMENTS W500/600 x D45 x H2220 mm




ACOUSTIC PANEL FABRIC: SOUL FROM GABRIEL | STANDARD PRICE, CATEGORY 1

Composition: 100% wool
Lightfastness: 5-7
Rubbing fastness: 4/wet, 4-5/dry
Sustainability: Complies with STANDARD 100 by OEKO-TEX
Meet Möbelfakta requirements
Cleaning: regular vacuum cleaning
Fire resistant: Yes (S 476 Part 7, class 1 ÖNORM B 3825-B1-3800-Q1 UK)



All our materials comply with M1 emission classification.



66104

67039

68131

64086

62059

61196

60182

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



WHEELCHAIR RAMP


In accordance with accessibility standards, a wheelchair ramp can be installed into the POD rooms, as well as reservation for the automatic door.



TECHNICAL INFORMATION	Available for POD rooms 1-4.
MATERIAL DESCRIPTION	Powder-coated steel with grip tape.
MEASUREMENTS	According to the door width.

STANDARD COLOR FOR WHEELCHAIR RAMP

STANDARD PRICE, CATEGORY 1



RAL 9016
white



RAL 7005
grey

Ask for more colors!

DISPLAY BOX

DISPLAY BOX is a screen holder specially designed for the POD meeting rooms. This screen holder is not only stylish but also makes it possible to hide the disruptive cables and remote control.



TECHNICAL INFORMATION


Three electrical sockets.
TV screen and the wall mount brackets are not included.

MATERIAL DESCRIPTION


MDF board with water-based paint.

MEASUREMENTS

Up to 42" screen: W700 x D100 x H1400 mm



SURFACE FINISHES FOR DISPLAY BOX:



NCS S 9000-N
Structural



All our materials comply with M1 emission classification.

CUBE

CUBE is a sheltered sofa that is recommended to place two facing each other, in which case the sofas form an acoustically pleasant environment.



MATERIAL DESCRIPTION


Frame is fully upholstered with fabric.
Seat and backrest upholstered polyurethane foam.
Powder-coated steel tube base.

OPTIONS

An optional armrest with electrical socket is available.

MEASUREMENTS

W1600 x D720 x H1600 mm





All our materials comply with M1 emission classification.

CUBE ARMREST

TECHNICAL INFORMATION


Built-in electrical socket.
The length of the electric cord is 3 m.

MATERIAL DESCRIPTION

Veneer structure.
Upholstered with fabric.

MEASUREMENTS

W155 x D340 x H260 mm



SOFA FABRIC FOR CUBE: WOOLY FROM NEVOTEX | STANDARD PRICE, CATEGORY 1

Composition: 70% Recycled wool, 25% Polyamide, 5% Other fibers

Durability: 150 000 Martindale

Lightfastness: 6

Crocking: 4-5/wet, 5/dry

Sustainability: certified according to Global Recycled Standard (GRS), no. CU1049784GRS-2023-00050154

Cleaning: vacuuming and dry cleaning

Fire resistant: Yes



2256 2301 1011 228881 1000 2279 1001
Ivory melange Marsala Bottle Green Lapis Light grey Ocean Anthracite



SOFA FABRIC FOR CUBE: MAIN LINE FLAX FROM CAMIRA | STANDARD PRICE, CATEGORY 1

Composition: 70% Virgin wool, 30% Flax

Durability: 50.000 Martindale

Lightfastness: 5

Crocking: 3/wet, 4/dry

Sustainability: Complies with EU ecolabel "The Flower", Compostable

Cleaning: Vacuuming and dry cleaning

Fire resistant: Yes



MLF02 MLF14 MLF16 MLF19 MLF24 MLF67 MLF37



SOFA FABRIC FOR CUBE: PYTON FROM DELFOS FR | PRICE CATEGORY 2

Synthetic leather

Composition: 77% PVC, 23% CO


Abrasion / Martindale: dry = 51.200 /cycles, wet = 12.800 /cycles

Lightfastness: 5

Crocking: 4-5

Breathable

Fire resistant: Yes / Flame retardant, IMO Certificate



0796 Negro 1112 Smoke 0793 Mocca 1168 Cashmere

Cleaning:

Because of its characteristics, clean and care the material frequently, with lukewarm water and a damp cloth, preferably of micro fibre. Soiling may be treated with a mild soap and proceed next to its drying by using a hairdryer or, failing that, a drycloth. It should be avoided that areas that have been treated for cleaning remain wet



breathable and flame
retardant quality



efficient material



long-life



easy-to-clean



aesthetic value

SOFA FABRIC FOR CUBE: GRAIN/2288 FROM GABRIEL | PRICE CATEGORY 2

Composition: 80% post-consumer recycled polyester / 20% polyester

Durability: 100.000 Martindale

Pilling: 5

Light fastness: 5-7

Cleaning: wash or dry cleaning

Fire resistant: Yes



61247

62123

64251


66233

68258

60323

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100





CUBE SOLO

CUBE SOLO is a rotating swivel chair that provides privacy within an acoustically friendly and comfortable environment. Adding a TOP table turns the chair to a peaceful working area.

MATERIAL DESCRIPTION


Upholstered with fabric.
Seat and backrest upholstered polyurethane foam.
Powder-coated steel tube base.

OPTIONS

An optional armrest with electrical socket is available.

MEASUREMENTS

W800 x D720 x H1600 mm





All our materials comply with M1 emission classification.

CUBE SOLO ARMREST

TECHNICAL INFORMATION


Built-in electrical socket.
The length of the electric cord is 3 m.

MATERIAL DESCRIPTION

Veneer structure.
Upholstered with fabric.

MEASUREMENTS

W155 x D340 x H260 mm



SOFA FABRIC FOR CUBE SOLO: WOOLY FROM NEVOTEX | STANDARD PRICE, CATEGORY 1

Composition: 70% Recycled wool, 25% Polyamide, 5% Other fibers

Durability: 150 000 Martindale

Lightfastness: 6

Crocking: 4-5/wet, 5/dry

Sustainability: certified according to Global Recycled Standard (GRS), no. CU1049784GRS-2023-00050154

Cleaning: vacuuming and dry cleaning

Fire resistant: Yes



2256 2301 1011 228881 1000 2279 1001
Ivory melange Marsala Bottle Green Lapis Light grey Ocean Anthracite



SOFA FABRIC FOR CUBE SOLO: MAIN LINE FLAX FROM CAMIRA | STANDARD PRICE, CATEGORY 1

Composition: 70% Virgin wool, 30% Flax

Durability: 50.000 Martindale

Lightfastness: 5

Crocking: 3/wet, 4/dry

Sustainability: Complies with EU ecolabel "The Flower", Compostable

Cleaning: Vacuuming and dry cleaning

Fire resistant: Yes



MLF02 MLF14 MLF16 MLF19 MLF24 MLF67 MLF37



SOFA FABRIC FOR CUBE SOLO: PYTON FROM DELFOS FR | CATEGORY 2

Synthetic leather

Composition: 77% PVC, 23% CO

Abrasion / Martindale: dry = 51.200 /cycles, wet = 12.800 /cycles

Lightfastness: 5

Crocking: 4-5

Breathable

Fire resistant: Yes / Flame retardant, IMO Certificate



0796 Negro 1112 Smoke 0793 Mocca 1168 Cashmere

Cleaning:

Because of its characteristics, clean and care the material frequently, with lukewarm water and a damp cloth, preferably of micro fibre. Soiling may be treated with a mild soap and proceed next to its drying by using a hairdryer or, failing that, a drycloth. It should be avoided that areas that have been treated for cleaning remain wet



breathable and flame
retardant quality



efficient material



long-life



easy-to-clean



aesthetic value

SOFA FABRIC FOR CUBE SOLO: GRAIN/2288 FROM GABRIEL | PRICE CATEGORY 2

Composition: 80% post-consumer recycled polyester / 20% polyester

Durability: 100.000 Martindale

Pilling: 5

Light fastness: 5-7

Cleaning: wash or dry cleaning

Fire resistant: Yes



61247

62123

64251

66233

68258

60323

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



Ask for more colors: sales@intoconcept.com

POINT SOFAS



POINT office sofa consists of individual sofa modules made of durable and comfortable materials that can be combined to create countless sofa combinations.

TECHNICAL INFORMATION

The office sofa modules are available with both low and high backrests and the seating measurements support healthy working positions. Connectors included.

MATERIAL DESCRIPTION

Plywood base and frame.
Polyurethane foam.
Fabric upholstery.
Base color painted grey.


OPTIONS

Integrated electrical sockets with the power cord length 5 m.
POINT sofas are available with lockable wheels.

MEASUREMENTS


POINT:	W500/700/1000 x D700 x H920/1420 mm
POINT STOOL:	W500/700 x D700 x H470 mm
POINT CORNER:	W700 x D700 x H920/1420 mm
POINT CURVE IN:	W1020 x D700 x H920/1420 mm
POINT CURVE OUT:	W1020 x D700 x H920/1420 mm
POINT OUTER CORNER, Left/Right:	W1100 x D700 x H920/1420 mm

Seat height:	470 mm
Seat height with wheels:	480 mm







POINT SOFAS - COMBINING EXAMPLES




CURVE IN x 4




CURVE OUT x 6




OUTER CORNER x 4




OUTER CORNER x 4
LONG x 2




MEDIUM x 1
LONG x 2
STOOL x 1



CORNER x 2
SMALL x 2



CORNER x 3
SMALL x 2



CURVE IN x 2
CURVE OUT x 2
MEDIUM x 2

UPHOLSTERY FABRIC: WOOLY FROM NEVOTEX | STANDARD PRICE, CATEGORY 1

Composition: 70% Recycled wool, 25% Polyamide, 5% Other fibers
Durability: 150 000 Martindale
Lightfastness: 6
Crocking: 4-5/wet, 5/dry
Sustainability: certified according to Global Recycled Standard (GRS), no. CU1049784GRS-2023-00050154
Cleaning: vacuuming and dry cleaning
Fire resistant: Yes



2256 2301 1011 228881 1000 2279 1001
Ivory melange Marsala Bottle Green Lapis Light grey Ocean Anthracite



UPHOLSTERY FABRIC: MAIN LINE FLAX FROM CAMIRA | STANDARD PRICE, CATEGORY 1

Composition: 70% Virgin wool, 30% Flax
Durability: 50.000 Martindale
Lightfastness: 5
Crocking: 3/wet, 4/dry
Sustainability: Complies with EU ecolabel "The Flower", Compostable
Cleaning: Vacuuming and dry cleaning
Fire resistant: Yes



MLF02 MLF14 MLF16 MLF19 MLF24 MLF67 MLF37



UPHOLSTERY FABRIC: PYTON FROM DELFOS FR | CATEGORY 2

Synthetic leather
Composition: 77% PVC, 23% CO
Abrasion / Martindale: dry = 51.200 /cycles, wet = 12.800 /cycles
Lightfastness: 5
Crocking: 4-5
Breathable
Fire resistant: Yes / Flame retardant, IMO Certificate

Cleaning:
Because of its characteristics, clean and care the material frequently, with lukewarm water and a damp cloth, preferably of micro fibre. Soiling may be treated with a mild soap and proceed next to its drying by using a hairdryer or, failing that, a drycloth. It should be avoided that areas that have been treated for cleaning remain wet




0796 Negro 1112 Smoke 0793 Mocca 1168 Cashmere



UPHOLSTERY FABRIC: GRAIN/2288 FROM GABRIEL | PRICE CATEGORY 2

Composition: 80% post-consumer recycled polyester / 20% polyester
Durability: 100.000 Martindale
Pilling: 5
Light fastness: 5-7
Cleaning: wash or dry cleaning
Fire resistant: Yes



61247 62123 64251 66233 68258 60323



POINT CUP

POINT CUP office booth is a sound-friendly 360-degree furniture solution that offers a comfortable space for presentations and video conferences.



TECHNICAL INFORMATION

SOCKETS One electrical socket on the table + 3 sockets in the screen wall.


SCREEN Screen wall is suitable for 20-42" screen.
Screen wall does not include screen nor bracket for it.

ELECTRICITY CONNECTION The length of the electric cord for the POINT CUP solution is 3 m.

MATERIAL DESCRIPTION Office booth sofa modules with plywood frame, polyurethane foam and fabric upholstery.
Table with structural paint top and powder-coated steel base.
Base board painted MDF.
Screen wall painted MDF and felt from the back.

OPTIONS Tabletop with laminate.

MEASUREMENTS W2450 x D2350 x H1420 mm
TOP CUP table Ø900 / H720 mm





UPHOLSTERY FABRIC FOR POINT CUP: WOOLY FROM NEVOTEX | STANDARD PRICE, CATEGORY 1

Composition: 70% Recycled wool, 25% Polyamide, 5% Other fibers
Durability: 150 000 Martindale
Lightfastness: 6
Crocking: 4-5/wet, 5/dry
Sustainability: certified according to Global Recycled Standard (GRS), no. CU1049784GRS-2023-00050154
Cleaning: vacuuming and dry cleaning
Fire resistant: Yes



2256 2301 1011 228881 1000 2279 1001
Ivory melange Marsala Bottle Green Lapis Light grey Ocean Anthracite



UPHOLSTERY FABRIC FOR POINT CUP: MAIN LINE FLAX FROM CAMIRA | STANDARD PRICE, CATEGORY 1

Composition: 70% Virgin wool, 30% Flax
Durability: 50.000 Martindale
Lightfastness: 5
Crocking: 3/wet, 4/dry
Sustainability: Complies with EU ecolabel "The Flower", Compostable
Cleaning: Vacuuming and dry cleaning
Fire resistant: Yes



MLF02 MLF14 MLF16 MLF19 MLF24 MLF67 MLF37



UPHOLSTERY FABRIC FOR POINT CUP: PYTON FROM DELFOS FR | CATEGORY 2

Synthetic leather
Composition: 77% PVC, 23% CO
Abrasion / Martindale: dry = 51.200 /cycles, wet = 12.800 /cycles
Lightfastness: 5
Crocking: 4-5
Breathable
Fire resistant: Yes / Flame retardant, IMO Certificate

Cleaning:
Because of its characteristics, clean and care the material frequently, with lukewarm water and a damp cloth, preferably of micro fibre. Soiling may be treated with a mild soap and proceed next to its drying by using a hairdryer or, failing that, a drycloth. It should be avoided that areas that have been treated for cleaning remain wet



0796 Negro 1112 Smoke 0793 Mocca 1168 Cashmere



breathable and flame
retardant quality



efficient material



long-life




easy-to-clean



aesthetic value

UPHOLSTERY FABRIC FOR POINT CUP: GRAIN/2288 FROM GABRIEL | PRICE CATEGORY 2

Composition: 80% post-consumer recycled polyester / 20% polyester
Durability: 100.000 Martindale
Pilling: 5
Light fastness: 5-7
Cleaning: wash or dry cleaning
Fire resistant: Yes



61247 62123 64251 66233 68258 60323



COLOR OPTIONS FOR POINT CUP TABLE

STANDARD PRICE, CATEGORY 1




NCS S 0500-N
Structural

PRICE CATEGORY 2



White
laminate

STEEL TUBE BASE | STANDARD PRICE, CATEGORY 1



RAL 9016


FELT FOR CUP SCREEN HOLDER: FULDA FIT FROM FILZFABRIK | STANDARD PRICE, CATEGORY 1

Composition: 30% Polyamid, 70% Polypropylen

Static electrical propensity: Antistatic

Classification for use: Commercial / heavy use

Fire resistant: Yes



37

61

69

52

85

16

SCREEN WALL COLOR | STANDARD PRICE, CATEGORY 1



NCS S 0500-N
Smooth

BASEBOARD COLOR | STANDARD PRICE, CATEGORY 1



NCS S 0500-N
Structural



TOP TABLES

TOP TABLES are visually slender yet structurally steady table solutions that enable ergonomic and flexible work. Table sizes go from small laptop tables up to bigger working desks.

TECHNICAL INFORMATION

Available with either fixed leg or height-adjustable leg.
Height is adjusted with a gas spring from a handle installed on the edge of the table top.

MATERIAL DESCRIPTION

MDF table top painted with structural paint.
Base powder coated steel.

MIX AND MATCH


Choose the tabletop and leg that suits your needs.

OPTIONS

Table top with laminate.

TESTED

INTO TOP tables are tested and approved according with standard EN 15372:2016 which is European furniture standard testing strength, durability, and safety.





TOP TABLES

TOP TABLES are visually slender yet structurally steady table solutions that enable ergonomic and flexible work. Table sizes go from small laptop tables up to bigger working desks.

TECHNICAL INFORMATION

Available with either fixed leg or height-adjustable leg.
Height is adjusted with a gas spring from a handle installed on the edge of the table top.

MATERIAL DESCRIPTION

MDF table top painted with structural paint.
Base powder coated steel.

MIX AND MATCH


Choose the tabletop and leg that suits your needs.

OPTIONS

Table top with laminate.

TESTED

INTO TOP tables are tested and approved according with standard EN 15372:2016 which is European furniture standard testing strength, durability, and safety.



COLOR OPTIONS FOR TOP AND TOP LIFT TABLES

STANDARD PRICE, CATEGORY 1

Standard paint color options



NCS S 0500-N
Structural

PRICE CATEGORY 2



White
lamine



Black
lamine

PRICE CATEGORY 3



Black nano-
lamine

POWDER COATED STEEL TUBE BASE | STANDARD PRICE, CATEGORY 1

Standard base paint options



RAL 9016



RAL 9005



FOCUS

FOCUS is private workstation on wheels, and it provides both visual haven and true peace of mind while working. This acoustic desk is upholstered in felt that not only looks good but also creates an acoustically friendly environment.



TECHNICAL INFORMATION



Wheels included.
Table light with switch.
2 x electrical socket.
The electric cord length for the FOCUS solution is 3 m.

MATERIAL DESCRIPTION

Bent board frame.
Felt upholstered inside and outside.
Fixed table painted with structural paint.

MEASUREMENTS

W1530 x D1400 x H1570 mm




FELT FOR FOCUS: FULDA FIT FROM FILZFABRIK | STANDARD PRICE, CATEGORY 1

Composition: 30% Polyamid, 70% Polypropylen

Static electrical propensity: Antistatic

Classification for use: Commercial / heavy use

Fire resistant: Yes



37

61

69

52

85

16

COLOR OPTION FOR THE TABLE | STANDARD PRICE, CATEGORY 1



NCS S 0500-N
Structural

ROLL IN

ROLL IN is a workstation with wheels that offers a handy haven for those who need to focus in private during their workday. This workstation with wheels includes fixed lighting, a built-in electrical socket as well as two bag hooks under the table.



TECHNICAL INFORMATION


Lockable wheels included.
2 x built-in electrical socket.
2 x bag hooks under the table.
Light with switch.
The electric cord length for the ROLL IN solution is 3 m.

MATERIAL DESCRIPTION

MDF frame with tabletop painted with white structural paint or optionally veneer frame with veneer tabletop.
Base powder-coated steel.
Acrylic window.

MEASUREMENTS

W1190 x D680 x H1510 mm





All our materials comply with M1 emission classification.

SURFACE FINISHES FOR ROLL IN:

| STANDARD PRICE, CATEGORY 1

PRICE CATEGORY 2

PRICE CATEGORY 3



NCS S 0500-N
Smooth



Pine veneer



Oak veneer

INSIDE PANEL FABRIC: SOUL FROM GABRIEL | STANDARD PRICE, CATEGORY 1

Composition: 100% wool

Lightfastness: 5-7

Rubbing fastness: 4/wet, 4-5/dry

Sustainability: Complies with STANDARD 100 by OEKO-TEX

Meet Möbelfakta requirements

Cleaning: regular vacuum cleaning


Fire resistant: Yes (S 476 Part 7, class 1 ÖNORM B 3825-B1-3800-Q1 UK)



66104



67039



68131




64086



62059



61196



60182



STEEL TUBE BASE | STANDARD PRICE, CATEGORY 1

Standard base paint options



RAL 9016



RAL 9005

STORY WALL

STORY WALL is a multipurpose space divider on wheels. It absorbs sound waves creating pleasant sound environment, is easy to move around the premises, and adapts to customer's needs with its various add-on pieces.

TECHNICAL INFORMATION

Includes wheels and adjustable support legs.

MATERIAL DESCRIPTION

Plywood + chipboard frame filled with acoustical wool.
Both sides upholstered with felt.


OPTIONS TO ADD

TV bracket
Corner piece
Whiteboard
Marker tray
Basketball hoop
Basketball holder
Dartboard

Magazine holder
Small shelf
Big shelf
Small coat hanger
Big coat hanger
Cupholder


MEASUREMENTS

W1190 x D600 x H2100 mm



FELT FOR STORY WALL: FULDA FIT FROM FILZFABRIK | STANDARD PRICE, CATEGORY 1

Composition: 30% Polyamid, 70% Polypropylen
Static electrical propensity: Antistatic
Classification for use: Commercial / heavy use
Fire resistant: Yes



37

61

69

52

85


16



All our materials comply with M1 emission classification.

CORNER PIECE FOR STORY WALL

Corner piece for the STORY WALL can be used to create corners and therefore, for example, rooms and nooks for teamwork and brainstorming.



TECHNICAL INFORMATION

Includes strong magnets for attaching to the STORY WALL.

MATERIAL DESCRIPTION

Chipboard frame.
Both sides upholstered with felt.

MEASUREMENTS

W260 x D75 x H2000 mm


Option for a corner piece for higher STORY WALL available, contact our team.

EXAMPLES OF HOW TO USE



FELT FOR STORY WALL CORNER: FULDA FIT FROM FILZFABRIK | STANDARD PRICE, CATEGORY 1

Composition: 30% Polyamid, 70% Polypropylen
Static electrical propensity: Antistatic
Classification for use: Commercial / heavy use
Fire resistant: Yes



All our materials comply with M1
emission classification.

STORY WALL HIGH

STORY WALL HIGH is an acoustical space divider with felt. The space divider adapts to whichever room you are in. The adjacent wall units can be easily connected to each other via integrated fittings. Moreover, the STORY WALL space divider can be conveniently moved and rotated around because of its own built-in wheels.

TECHNICAL INFORMATION

Includes wheels and adjustable support legs.

MATERIAL DESCRIPTION

Plywood + chipboard frame filled with acoustical wool. Both sides upholstered with felt.

OPTIONS TO ADD


TV bracket
Corner piece
Whiteboard
Marker tray
Basketball hoop
Basketball holder
Dartboard

Magazine holder
Small shelf
Big shelf
Small coat hanger
Big coat hanger
Cup holder

MEASUREMENTS


W 1190 x D600 x H2900 mm

Minimum order quantity 2 pieces



FELT FOR STORY WALL HIGH: FULDA FIT FROM FILZFABRIK | STANDARD PRICE, CATEGORY 1

Composition: 30% Polyamid, 70% Polypropylen
Static electrical propensity: Antistatic
Classification for use: Commercial / heavy use
Fire resistant: Yes



All our materials comply with M1 emission classification.

TV BRACKET FOR STORY WALL

Turn your space divider into a stylish screen holder.
TV Bracket comes with a marker tray that has an extend cord holder.

TECHNICAL INFORMATION Holds a screen of maximum "42.

MATERIAL DESCRIPTION Steel plate painted white.



WHITEBOARD FOR STORY WALL

Convert your STORY WALL into an inspiration board with whiteboards. The whiteboard is easy to attach to the STORY WALL with a magnet, and multiple whiteboards can be attached side by side. There is an option for 1-4 whiteboards as add-on pieces.



TECHNICAL INFORMATION

Attaches to the STORY WALL with a magnet.

MATERIAL DESCRIPTION

Painted steel plate painted white.
Magnetic surface.

MEASUREMENTS

W1120 x H790 mm

MARKER TRAY FOR STORY WALL

Make working more efficient with a handy STORY WALL marker tray to place under the whiteboard. The marker tray is easily attached to the STORY WALL with a magnet.



TECHNICAL INFORMATION Attachable with a magnet.

MATERIAL DESCRIPTION Steel plate painted white.

MEASUREMENTS W1119 x D72 x H101 mm

MAGAZINE HOLDER FOR STORY WALL

Conveniently place your magazines and brochures on display in the STORY WALL magazine holder. The magazine holder is easily attached to the STORY WALL with a magnet.



TECHNICAL INFORMATION Attachable with a magnet.

MATERIAL DESCRIPTION Steel plate painted white.

MEASUREMENTS W215 x D72 x H305 mm

DARTBOARD FOR STORY WALL

Take a break from work and play with STORY WALL dartboard. The dartboard is easily attached to the STORY WALL with a magnet and includes five darts.



TECHNICAL INFORMATION

Attachable with a magnet.
Dartboard includes one white dartboard and five darts.

MATERIAL DESCRIPTION

Steel plate painted white.

MEASUREMENTS

W1120 x H790 mm

BASKETBALL HOOP FOR STORY WALL

Make your office or school environment more fun with STORY WALL basketball hoop. The basketball hoop is easily attached to the STORY WALL with a magnet.



TECHNICAL INFORMATION	Attachable with a magnet. Basketball hoop comes with one small basketball.
MATERIAL DESCRIPTION	Steel plate painted white.
MEASUREMENTS	W559 x H395 mm

BASKETBALL HOLDER FOR STORY WALL

Conveniently place your small basketball in the STORY WALL basketball holder. The basketball holder is easily attached to the STORY WALL with a magnet.



TECHNICAL INFORMATION	Attachable with a magnet.
MATERIAL DESCRIPTION	Steel plate painted white.
MEASUREMENTS	W150 x H215 mm

SHORT SHELF FOR STORY WALL

Place your items and decorations on STORY WALL short shelf. The short shelf is easily attached to the STORY WALL with a magnet.



TECHNICAL INFORMATION

Attachable with a magnet.

MATERIAL DESCRIPTION

Steel plate painted white.

MEASUREMENTS

W560 x H240 mm

LONG SHELF FOR STORY WALL

You can use STORY WALL long shelf to display your items, plants and decorations. The Long shelf is easily attached to the STORY WALL with a magnet.



TECHNICAL INFORMATION

Attachable with a magnet.

MATERIAL DESCRIPTION

Steel plate painted white.

MEASUREMENTS

W1118 x H241 mm

SHORT COAT HANGER FOR STORY WALL



Hang your clothes and bags on STORY WALL short coat hanger. The short coat hanger is easily attached to the STORY WALL with a magnet and has two jacket hooks.

TECHNICAL INFORMATION	Attachable with a magnet. Short coat hanger with two jacket hooks.
MATERIAL DESCRIPTION	Steel plate painted white.
MEASUREMENTS	W215 x H151 mm

LONG COAT HANGER FOR STORY WALL



Hang your clothes and bags on STORY WALL long coat hanger. The long coat hanger is easily attached to the STORY WALL with a magnet and has nine jacket hooks.

TECHNICAL INFORMATION

Attachable with a magnet. Long coat hanger has nine jacket hooks.

MATERIAL DESCRIPTION

Steel plate painted white.

MEASUREMENTS

W1120 x H151 mm

CUP HOLDER FOR STORY WALL



Free your desk from clutter and place your cups on STORY WALL cup holder. Small cup holder holds two cups and is easily attached to the STORY WALL with a magnet.

TECHNICAL INFORMATION	Attachable with a magnet. Small cup holder holds two cups.
MATERIAL DESCRIPTION	Steel plate painted white.
MEASUREMENTS	W215 x H149 mm. The diameter of the hole is 70 mm.