

POINT CUP

POINT CUP office booth is a sound-friendly 360-degree furniture solution that offers a comfortable space for presentations and video conferences.



TECHNICAL INFORMATION

SOCKETS One electrical socket on the table + 3 sockets in the screen wall.


SCREEN Screen wall is suitable for 20-42" screen.
Screen wall does not include screen nor bracket for it.

ELECTRICITY CONNECTION The length of the electric cord for the POINT CUP solution is 3 m.

MATERIAL DESCRIPTION Office booth sofa modules with plywood frame, polyurethane foam and fabric upholstery.
Table with structural paint top and powder-coated steel base.
Base board painted MDF.
Screen wall painted MDF and felt from the back.

OPTIONS Tabletop with laminate.

MEASUREMENTS W2450 x D2350 x H1420 mm
TOP CUP table Ø900 / H720 mm



UPHOLSTERY FABRIC FOR POINT CUP: MAIN LINE FLAX FROM CAMIRA | STANDARD PRICE, CATEGORY 1

Composition: 70% Virgin wool, 30% Flax

Durability: 50.000 Martindale

Lightfastness: 5

Crocking: 3/wet, 4/dry

Sustainability: Complies with EU ecolabel "The Flower", Compostable

Cleaning: Vacuuming and dry cleaning

Fire resistant: Yes



MLF02

MLF14

MLF16

MLF19

MLF24

MLF67

MLF37



UPHOLSTERY FABRIC FOR POINT CUP: PYTON FROM DELFOS FR | CATEGORY 2

Synthetic leather

Composition: 77% PVC, 23% CO

Abrasion / Martindale: dry = 51.200 /cycles, wet = 12.800 /cycles

Lightfastness: 5

Crocking: 4-5

Breathable

Fire resistant: Yes / Flame retardant, IMO Certificate



0796 Negro

1112 Smoke

0793 Mocca

1168 Cashmere

Cleaning:

Because of its characteristics, clean and care the material frequently, with lukewarm water and a damp cloth, preferably of micro fibre. Soiling may be treated with a mild soap and proceed next to its drying by using a hairdryer or, failing that, a drycloth. It should be avoided that areas that have been treated for cleaning remain wet



breathable and flame
retardant quality



efficient material



long-life



easy-to-clean



aesthetic value

UPHOLSTERY FABRIC FOR POINT CUP: SYNERGY FROM CAMIRA | CATEGORY 2

Composition: 95% Virgin wool, 5% Polyamide

Durability: 100.000 Martindale

Pilling: 4

Lightfastness: 5

Cleaning: vacuuming and dry cleaning

Fire resistant: Yes



LDS08

LDS16

LDS17

LDS48

LDS56

LDS59

LDS87



UPHOLSTERY FABRIC FOR POINT CUP: GRAIN/2288 FROM GABRIEL | PRICE CATEGORY 2

Composition: 80% post-consumer recycled polyester / 20% polyester

Durability: 100.000 Martindale

Pilling: 5

Light fastness: 5-7

Cleaning: wash or dry cleaning

Fire resistant: Yes



61247

62123

64251

66233


68258

60323



COLOR OPTIONS FOR POINT CUP TABLE

STANDARD PRICE, CATEGORY 1




NCS S 0500-N
Structural

PRICE CATEGORY 2



White
laminate


STEEL TUBE BASE | STANDARD PRICE, CATEGORY 1



RAL 9016

FELT FOR POINT CUP SCREEN WALL: FULDA MENT 60 FROM FILZFABRIK | STANDARD PRICE, CATEGORY 1

- Composition: 40% Polyamid, 60% Polypropylen
- Static electrical propensity: Antistatic
- Classification for use: Commercial / heavy use
- Fire resistant: Yes



109

101


144

121

140


159

SCREEN WALL COLOR | STANDARD PRICE, CATEGORY 1



NCS S 0500-N
Smooth

BASEBOARD COLOR | STANDARD PRICE, CATEGORY 1



NCS S 0500-N
Structural